

MEMO



VB series

1.5折波纹型(标准型)

1.5 corrugated type (standard type)



产品特点

Features

- 适用于有高度变化物体的搬运;
- 适用于要正确分离的薄膜;
- 适用于有一些曲面的物体;
- Suitable for the handling of objects with height changes;
- Suitable for films to be separated correctly;
- Suitable for objects with some curved surfaces;

适用事例

Applicable examples

- 钢板、木板、电子零件、薄板、纸箱、小袋、胶合板、盒子包装、薄胶卷
- Steel plate, wood board, electronic parts, sheet, carton, pouch, plywood, box packaging, thin film

VB series

1.5折波纹型(标准型)
1.5 corrugated type (standard type)

VB



型号表示方法 Model representation

VB 40 S - 18M

• 盘径大小
Disk diameter

代码 code	直径 Diameter	代码 code	直径 Diameter
5	Φ5mm	20	Φ20mm
6	Φ6mm	30	Φ30mm
8	Φ8mm	40	Φ40mm
10	Φ10mm	50	Φ50mm
12	Φ12mm	75	Φ75mm
05	Φ15mm	110	Φ110mm

• 材质
Material

代码 code	材料/颜色 Material/color
N	丁腈橡胶/黑 Nitrile rubber/black
S	硅胶/红 Silicone/Red
SE	防静电硅胶/黑 (白色记号) Anti-static silicone/black (white mark)
LH	无痕/黑 (红色记号Φ15-Φ50) No trace/black (red mark Φ15-Φ50)
XN	无痕/黑 (红色记号Φ15-Φ50) No trace/black (red mark Φ15-Φ50)

• N/S为常规材质，有备现货，其他材质为特殊材质，起订量：100pcs
• N/S is a standard material, stock is always available, other materials are special material, MOQ: 100pcs


• 选配接头
Disk diameter

代码 code	螺纹 Thread
无	接头无附塞型 No attachment type
M5	M5外螺纹 (Φ5-Φ30) M5 external thread (Φ5-Φ30)
18F	G1/8内螺纹 (Φ30-Φ50) G1/8 internal thread (Φ30-Φ50)
18M	G1/8外螺纹 (Φ15-Φ50) G1/8 external thread (Φ15-Φ50)
38M	G3/8外螺纹 (Φ75-Φ110) G3/8 external thread (Φ75-Φ110)
12F	G1/2内螺纹 (Φ75) G1/2 internal thread (Φ75)

30年专注真空技术
30 years of focused vacuum technology




尺寸图表 DIMENSIONAL CHART



订购代号 Order code				参数 Parameter						
① 吸盘类型 Suction cup type	② 吸盘代号 Suction cup code	③ 材质 Material	④ 选配接头 Optional connector	A	B	C	D	E	F	型号 Model
VB	5	N S SE LH XN	M5	5	9	17.5	4	4.5	MSX0.8	VB 5 ③-M5
	6			7.2	13	21.5				VB 6 ③-M5
	8			9	13.5	22				VB 8 ③-M5
	10			10.5	16	24.5				VB 10 ③-M5
	12			12	18.5	25				VB 12 ③-M5
	15			16	19.5	28				VB 15 ③-M5
	20			22.4	19.5	28				VB 20 ③-M5
	30			33.8	25.5	34				VB 30 ③-M5
	30		18M	33.8	25.5	38	6	6.5	G1/8	VB 30 ③-18M
	40			41	29.5	42				VB 40 ③-18M
	50			52.5	33	45.5				VB 50 ③-18M

VB series 1.5折波纹型(标准型)
1.5 corrugated type (standard type)

尺寸图表 DIMENSIONAL CHART



订购代号 Order code				参数 Parameter							
①	②	③	④	A	B	C	D	E	F	型号 Model	
吸盘类型 Suction cup type	吸盘代号 Suction cup code	材质 Material	选配接头 Optional connector								
VB	30	N S SE LH XN	18F	33.8	25.5	34.5	9	/	G1/8	VF 30 ①-18F	
	40			41	29.5	38.5				VF 40 ①-18F	
	50			52.5	33	42				VF 50 ①-18F	
	75		38F 12F	77.5	36	50	14		G3/8 G1/2	VF 75 ③-④	
	110		38F	115	48	65	17		G3/8	VF 110 ③-38F	



BGA series

1.5折波纹型(耐磨型)
1.5 corrugated type (wear-resistant type)



产品特点

Features

- 适用于多种工件;
- 非常好的适应曲面或者不平工件;
- 加强高速提升力, 有良好的稳定性;
- Suitable for a variety of workpieces;
- Very well adapted to curved or uneven workpieces;
- Strengthen high-speed lifting force, have good stability;

适用事例

Applicable examples

- 曲面钣金件、胶带、管材、稍微弯曲表面的物体
- Curved sheet metal parts, tapes, pipes, objects with slightly curved surfaces